

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Christopherson et al.)	Docket:	P-9126.00
)		
Serial No.: 09/776,265)	Group Art:	
)		
Filed: February 2, 2001)	Examiner:	
)		
Title: INFORMATION REMOTE)		
MONITOR (IRM) MEDICAL)		
DEVICE)		
)		

RESPONSE TO NOTICE OF INCOMPLETE REPLY
(NONPROVISIONAL)

BOX MISSING PARTS
Commissioner for Patents
Washington, D.C. 20231

Sir:

This is in response to the Notice of Incomplete Reply (Nonprovisional) dated August 6, 2001. Please find enclosed the following documents to complete the filing requirements for the above-identified application:

1. Nine (9) sheets formal drawings;
2. Request for Three-Month Extension of Time;
3. Copy of Notice of Incomplete Reply; and
4. Authorization to charge Deposit Account No. 13-2546 for \$890.00 (three-month extension of time fee).

No surcharge is believed to be due, as a \$130 surcharge was paid on June 25, 2001 when Applicant initially responded to the Notice to File Missing Parts of Nonprovisional Application. In the event that a surcharge is due, the Commissioner is

09776265-032701

authorized to charge this fee, as well as any deficiencies, and credit any overpayments, to
Deposit Account No. 13-2546.

Respectfully submitted,

CHRISTOPHERSON ET AL.

By his attorneys,



Atty: Girma Wolde-Michael

Reg. No. 36,724

MEDTRONIC, INC.

7000 Central Avenue N.E.


Minneapolis, Minnesota 55432

(763) 514-6402

08/24/01

Date

097665-082701
T04280"5929260



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

MISSING PARTS TRANSMITTAL

In re Application of: Christopherson et al.
For: INFORMATION REMOTE MONITOR (IRM) MEDICAL DEVICE
Serial No.: 09/776,265
Filed: February 2, 2001

CERTIFICATE OF MAILING UNDER 37 CFR 1.8: I hereby certify that this **MISSING PARTS** and the paper(s), as described herein, are being deposited in the U.S. Postal Service, as first class mail, addressed to the Box Missing Parts, Commissioner of Patents and Trademarks, Washington, D.C. 20231 on this 27th day of August, 2001.

Sue McCoy
Signature
Sue McCoy
Printed Name

Box Missing Parts
Commissioner of Patents and Trademarks
Washington, D.C. 20231

Sir:


We are transmitting herewith the attached:

- ☒ Response to Notice of Incomplete Reply (Nonprovisional)
- ☒ Request for Three-Month Extension of Time
- ☒ Nine (9) sheets formal drawings
- ☒ Copy of Notice of Incomplete Reply (Provisional)
- ☒ Return Postcard

- ☒ Applicant hereby petitions for a three-month extension of time. If an additional extension of time is required, please consider this petition therefor.
- ☒ Applicant believes that no extension of time is required. However, if an extension of time is required, please consider this a petition therefor to provide for the possibility that applicant has inadvertently overlooked the need for an extension of time.
- ☒ Please charge any additional fees or credits to Deposit Account No. 13-2546 which may have been overlooked on this Missing Parts Transmittal with regard to this filing. A duplicate of this transmittal is enclosed.

08/24/01
Date

Girma Wolde-Michael
Girma Wolde-Michael
Reg. No. 36,724
MEDTRONIC, INC.
7000 Central Avenue N.E.
Minneapolis, Minnesota 55432
Telephone: (763) 514-6402



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/776,265	02/02/2001	Mark A. Christopherson	P-9126

CONFIRMATION NO. 9662

FORMALITIES LETTER



OC00000006385455

Girma Wolde-Michael
Medtronic, Inc.
MS 301
7000 Central Avenue NE
Minneapolis, MN 55432

Date Mailed: 08/06/2001

NOTICE OF INCOMPLETE REPLY (NONPROVISIONAL)

Filing Date Granted

The U.S. Patent and Trademark Office has received your reply on to the Notice mailed and it has been entered into the nonprovisional application. The reply, however, doesnot include the following items required in the Notice.

The period of reply remains as set forth in the Notice. You may, however, obtain EXTENSIONS OF TIME under the provisions of 37 CFR 1.136 (a) accompanied by the appropriate fee (37 CFR 1.17(a)).

A complete reply must be timely filed to prevent ABANDONMENT of the above-identified application.

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

cut
Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

09776265-082701